Receiving Report

Da	ate: 12/	المرادا	6	Batch	1 No: M)	2344	9
Su	upplier: M	she.	<u>~</u>	Dart	. 1	8229	/
Packing Slip: Invoice: Receipt:	Yes Cash	No Z Cr	SI Q	elease Note A /aybill Attache hipment Com C6 Inspection /ork Order	ed: Ye plete A CY	No N	5
Discrepancies	i i						
Part Number	Description	n	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments
				1			
							1
			Initials	of receiver	(if shipment	OK) Level	12
Production/Ad Date Received/Cos Initial	12/10	<u>\$</u> 6				Locati	on
H:\FORMS\Purch	asing\approved pu	ch\REC	REPORT Rev	D			÷.

Purchase Order Receipt Listing

Friday, October 26, 2012 8:57:29 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO18224 Receipt Dates from 10/26/2012 to 10/26/2012 All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

Book Amt	\$618.80		\$159.28		\$170.87	\$246.14	*	748.0000 0.0000 0.0000 \$1,195.09
Oty/ Oty	0	0	0	0	0	9 0	0	
MRB Qty/ MRB Reject Qty								uantity: U/M): uantity: Value:
Inspected Qty/ Rejected Qty (PO U/M)	0.0000	0.0000	0.000	0.0000	0.0000	0.0000	0.0000	Total Received Quantity: Total Qty to Inspect (PO U/M): Total Reject Quantity: Total Receipt Value:
Cost Per Unit/ Recv Value	\$1.98	\$618.80	\$4.42	\$159.28	\$0.85	\$1.23	\$246.14	T Total C
Recv Qty (PO U/M)	312.0000		36.0000		200.0000	200.0000		
Recv Date/ Recv Emp	10/26/2012	312.0000 DESJ02	10/26/2012	DESJ02	10/26/2012 DESJ02	10/26/2012	DESJ02	
Required Date Required Qty	10/26/2012 10/26/2012	312.0000	10/26/2012 10/26/2012	36.0000	10/26/2012 10/26/2012 200.0000 DESJ02	10/26/2012 10/26/2012	200.0000	
PO U/M / R Stock U/M	Marmon/Keystone Canada Ltd. 375W.0 f							
PO U Stock	on/Keys 0 f	j.	1-f	J	S f	9 f	e p	
7	Marm 0.375W.) Tube V	0.500W.	O Tube W	500W.03	500W.04	ж .500 х	
Reference/ Description/ Cert Std	VC-MAR001 Marmon/k M6061T6T0.375W.0 f	58 6061-T6 RD Tube .375 x.058W 123449	M6061T6T0.500W.1 f 25	6061-T6 RD Tube .500 x .125W 123449	M304TR0.500W.035 304 RD Tube .500 x .035W	123449 M304TR0.500W.049 f	304 RD Tube .500 x f .049W 123449	
Project ID								
Line Nbr/ Insp Req	lor Name	No V	2	S N	3 No	4	No	
Purchase Order ID/ Curr Type	VendorID\Vendor Name PO18224 1	CAD						

0.0000

Total Receipt Value: Total Balance Due Quantity:



290 Chemin du Tremblay Boucherville QU CAN J4B 5X9

TEL. 514/527-9153 FAX. 450/641-4357

PAGE..: 1

Order: 1124020 Date.: 10/24/2012

PACKING SLIP

SOLD TO:

DART AEROSPACE LTD 1270 ABERDEEN STREET

HAWKESBURY ON CAN K6A 1K7

SHIPPED TO:

DART AEROSPACE LTD 1270 ABERDEEN STREET

HAWKESBURY ON CAN K6A 1K7

SHI TST	P VIA OVERLAND #	222212	F.O.B. BOUCHERVILLE	3	SALESPER C. Gee		OUR ORDER NO.
	Ordered	Description			Number Pieces	Quantity Shipped	Back Ordered
	,	Fax all papers to I	inda Lacelle 61	3-632-1053 rev:	01/11 GD		
01	312 /FT	ALUMINUM SMLS TUBE ATS .375 .058 Tariff Number: 76 Cust. part#.: M6	08.20.00.00 061T6T0.375W.058		26	312/FT	
0,2	36 /FT	ALUMINUM SMLS TUBE ATS .500 .120 Tariff Number: 76 Cust. part#.: M6	08.20.00.00 061T6T0.500W.125	Total	26	312/FT	
03		STAINLESS STEEL SEA	MLESS TURE	.: F00008530 Total	3 3	36/FT 36/FT	
	200 /FT	SMLS TUBE 304L 1/ STS .500 .035 Tariff Number: 730 Cust. part#.: M30	2 X .035 A213 304L 04.41.19.90	.: YT0674 Total	<u>10</u>	200/FT 200/FT	
04	200 /FT	STAINLESS STEEL SEA SMLS TUBE 304L 1/2 STS .500 .049 Tariff Number: 730 Cust. part#.: M30	2 X .049 A213 304L 4.41.19.90	.: 11B631	10	200/FT	
	- 1			Total	10	200/FT 200/FT	
	*						
					10	12/1/26	

No. of Bdls/Pieces

1 / (

Total Weight....:

109

Customers.:

CERTIFIED TEST REPORT

http://Online.KaiserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 5205 KAISER DRIVE KALAMAZOO, MI 49048

CUSTOMER PO NUME	BER:	CUSTOME	R PART NUMBER:	PRODUCT DESCRIPTION	N:		
61-17107-1	<u>/ _ </u>	AT/.375	5.058/734	Seamless Tube/Pi	ipe		
KAISER ORDER NUM	BER: LINE ITEM:		SHIP DATE:	KAISER LOT NUMBER:	ALLOY:	TEMPER:	
606551	001	.	01/04/2012	F00013715	6061	Т6	
WEIGHT SHIPPED:	QUANTITY:		B/L NUMBER:	DIAM/DAF/THKNS:	WIDTH:	LENGTH:	
629.000 LB	776.000	PCS	602261			12.000 FT	
SHIP TO:				SOLD TO:	 		
MARMON/KEYS 32944 US HIGH SPRING VALLE	WAY 6			MARMON/KEYST 10700 MARMON I BOLINGBROOK, I	OR .		
	,			BOLINGBROOK, I	L 60440 USA		

Actual Physical Properties

REFERENCE	Dash#	SAMPLE#	UTS (KSI)	YTS (KSI)		ELONG%	HARDNESS	CONDUCT.	BEND
* F00013715 * F00013715	.0001 0002	1 1	46.3 46.2	42.9 42.9	1	12.0 12.3	N/A N/A	N/A N/A	N/A N/A
⅓ F00013715	0003	1	45.8	43.0		15.0	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot	
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15	
Minimum	Q.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00	
D69881	- 58	.26	.22	.06	. 98	.07	.09	.02	.00	.00	.00	.01	.02	
D69877	.57	.31	.25	.05	.96	.07	.06	.02	.00	.00	.00	.01	.02	

Applicable Requirements:

Description: MADE IN USA

OD: 0.375"; Wall: 0.058"; AMS-4082P ASTM-B210-04

Round WW-T-700/6F

WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS-4082P, WAS NOT OILED.

THE FOLLOWING SPECIFICATIONS HAVE BEEN MADE INACTIVE OR

CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, and WW-T-700/7B.

COMPLIES TO DIN EN 10204 JAN 2005

COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014

No Weld Repair. Mercury Free.

Miscellaneous Notes

MANUFACTURED IN USA (CHANDLER, AZ) MELTED IN USA MARMON / KEYSTONE Q.C. REVIEWED

Plant Serial: 00022757

Kaiser Order Number: 606551

Line Item: 001

Page 1 of 2



CERTIFIED TEST REPORT

http://Online.KaiserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 5205 KAISER DRIVE KALAMAZOO, MI 49048

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms &conditions of sale. Test reports are on file subject to examination.

Alex Yeh, Quality & Technology Manager

Q. C. REVIEWED

Plant Serial: 00022757 Kaiser Order Number: 606551

Line Item: 001

Page 2 of 2

-DP0001 * F00008230 * 000488/ * BN/14/ * 10/51/5010

10/12/2010 From: MARMON/KEYSTONE CORPORATION

M/K OR::6131477

C.P.O.::

C PART:

To:

OR.REF: SLSPRS:

FABRICATED PRODUCTS



CERTIFIED TEST REPORT http://Certs.KaiserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 6573 W. WILLIS ROAD CHANDLER AZ 85228

CUSTOMER PO NUMBER:	cu	STOMER PART NUMBER:	PRODUCT DESCRIPTIO	N:	
50-11412-1		1/.5.12/734	Seamless Tube/P	ine	
KAISER ORDER NUMBER: 205641	LINE ITEM: 001	SHIP DATE:	KAISER LOT NUMBER:	ALLOY:	TEMPER:
	QUANTITY:	07/09/2010 B/L NUMBER:	F00008530	6061	Т6
595.000 LB	294.000 PCS		DIAM/DAF/THKNS:	WIDTH:	LENGTH: 12.000 FT
SHIPTO: MARMON/KEYSTO 10700 MARMON DI BOLINGBROOK, IL	3		MARMON/KEYST 10700 MARMON I BOLINGBROOK, I	DR	1-2.000 7 1

Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	uts (KSI)	YTS (KSI)	ELONG%	HARDNESS	CONTIACS	BEND
F00008530	0001	1	46.3	42.7	14.0	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

Limits	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot	
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA			0.15	
Minimum D68104	.63	.35	.23	0.00	0.80	0.04	0.00	0.00	AM OO.	NA 00		0.00		
				1		.05	.0,	. 02	• 00	- 00	.00	.00	.02	

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms acconditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager

Plant Serial: 00007533

Kaiser Order Number: 205641

Line Item: 001

OR.REF:

SLSPRS:

C.P.O.::

C PART:

KAISER ALUMINUM FABRICATED PRODUCTS



CERTIFIED TEST REPORT http://Certs.KalserAluminum.com

KAISER ALUMINUM FABRICATED PRODUCTS, LLC 6573 W. WILLIS ROAD CHANDLER, AZ 85226

Applicable Requirements:

Description: MADE IN USA
OD: 0.500"; Wall: 0.120"; Round @
AMS-4082P ASTM-B210-04 WW-T-700/6F
WE TAKE EXCEPTION TO PARA. 5.2.1. Per AMS 4082P, WAS NOT OILED.
THE FOLLOWING SPECIFICATION HAVE BEEN MADE INACTIVE OR
CANCELLED: MIL-T-7081, WW-T-700/6GN, WW-T-700/2E, WW-T-700/3F,
WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, WW-T-700/7B.
COMPLIES TO DIN EN 10204 JAN 2005
COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014
No Weld Repair. Mercury Free.

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

14 12/10/29

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms acconditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager

Plant Serial: 00007533

Kaiser Order Number: 205641

Page 2 of 2

Q. C. REVIEWED tem: 001

With It-

. ----

-304F * ALOPA4 * TOOOPPA * BNPPRO * 8/TT/50TO



SHANGHAICRYSTAL PALACE PIPE CO.,LTD

ZHONG GANG, NAN HUI, SHANGHAI CHINA ZIP CODE:201302

MILL TEST CERTIFICATE

ISO9001:2000 ;PED Material CERTIFICATE (No.:QAC0021058/A) DATE OF ISSUE: 2010/6/24

				'n							
ASSURANCE DEPARTMENT		MANAGER OF QUALITY	NAGER (MA			3.1	INVOICE NO: YK-10-06-62	K-10-06-62	INVOICE NO: YK-10-06-62	INVO
AUG 11 2010	€. \$						ION	FREE FROM MERCURY CONTAMINATION COUNTRY OF ORIGIN: CHINA MILL TEST CERTIFICATE TO FILL COLLEGE	RCURY C	FREE FROM MERCURY CONT COUNTRY OF ORIGIN: CHINA MILL TEST CEPTIFICATE TO	COUI
	O.,LTD	SHANGHAI CRYSTAL PALACE PIPE CO.,LTD	TAL PAL	IAI CRYS	SHANGE	. 5	илист у	NO WELD REPAIR WAS PERFORMED	IR WAS P	ELD REPA	NO W
REPRODUCED, EXCEPT IN FULL, WITHOUT OMPANY.	REPRODUCE OMPANY.	2.THE CERTIFICATE SHALL NOT BE THE WRITTEN APPROVAL OF THE CO	TE SHA	ERTIFIC!	2. THE CI	·	03	IN COMPLIANCE TO NACE MR0175-2003 IC TEST TO ASTM A262 PRACTICE E SOLUTION HEAT TREATMENT: 1050°C V: 5/	ETO NAC [MA262 P	ITION HE	SOLI IC TE
1.WE HEREBY CERTIFY THAT THE MATERIAL DESCRIBED HEREIN HAS BEEN TESTED AND THE TEST RESULTS ARE IN COMPLIANCE WITH THE TERMS OF THE PURCHASE ORDER OR CONTRACT	MATERIAL D RE IN COMP	1.WE HEREBY CERTIFY THAT THE MATESTED AND THE TEST RESULTS ARE THE PURCHASE ORDER OR CONTRACT	ERTIFY IE TEST ORDER	REBY C AND TH CHASE	THE PUR	269-07	R ASTM A	AS PER ASTM A213/ASME SA213-07 WALL THICKNESS TOLERANCE AS PER ASTM A269-07	1213/ASM ESS_TOLE	AS PER ASTM / WALL THICKNI	AS P
				;						A DIVE	מון מ
76 (DRILLED HOLE)	OK	OK	45.5	060	0.00						
2.5.2.7			45.5	202	OVE	707	500	P10-5-66	20	0 0.035	0.500
HRB CO	FLATTENING TEST	FLARING TEST	(%) ≥35	(Mpa) ≥515	(Mpa) ≥205	(kg)	Pieces	Bundle No.	Length (feet)	W.T (inch)	O,D (inch)
FDDV			E.	TS	0.2%YS				ns —	Dimensions	
) 	ERTIES	L PRO	PHYSICAL PROPERTIES						
18.12	8.06	0.46	0	0.004	0.039		0.82	0.022	OLE)	RESULTS (LADLE)	RES
18.0~20.0	0~12.0 18.	<0.75 8.		< 0.030	< 0.040	<u> </u>	≤2.00	<0.035		SPECIFICATION	SPE
Cr	N	Si		S	Ą	П	Mn	С		ELEMENTS	EL,E
		-						(WT%)	ONTENTS	CHEMICAL CONTENTS (WT%)	CHI
	HEAT NO.:YT0674		ED 320 GR	D POLISH	AIN END/C	CKLED / PI	REATED / PI	CONDITION: COLD FINISH / SOLUTION TREATED / PICKLED / PLAIN END / OD POLISHED 320 GRIT.	OLD FINIS	NDITION: C	CO
: ASTM A213-07/ASME SA213-07 TP304/TP3041	: ASTM A213-0				NG.	S TUBING	SEAMILESS	SS STEEL	STAINLE	COMMODITY: STAINLESS	S
)3-005-B	NO.:2010-03-005-B	ORDER	14							F.O.INO.:BN6680	7:0.
010-3-5-B-5	CERTIFICATE NO. :2010-3-5-B-5	CERTH			3	INC	CANADA	CUSTOMER:MARMON/KEYSTONE	(ARMON/	TOMER:N	CUS
DAIE OF ISSUE: 2010/6/24		ICALL (IN0QAC0021038/A)	(140.7	TOUT	TATE OF THE						

14, 12/10/29



MILL INSPECTION CERTIFICATE

CHANGSHU WALSIN SPECIALTY STEEL CO.,LTD.



							_	
					: :	11B6	HEAT NO.:	ANADA INC.
in the state of th				•				
	~/,							
2SC-651 % 5LC-0021		NO.01 202 Child-62 0021	NO.09 100 811 66		EN 10204 3.1			. ,
3		DIN EN IS(900) Lampes Directive 97721/EC	DIN EN 1509001					-

CERT DIN EN ISCHOOL NO.09 100 81116
TÜV Laryen Bire il. 49721/EC Nital 122Citt[Q-12021]
86.45
5.5.000 M

			JEB	VMANA	OHALITY MANAGER								ŀ			
			2,	Pi	um Bir		281					0 -	TAMINATION 400#POLISHED	CONTAL 80 400	MERCURY C	MATERIAL FREE FROM MERCURY CONTAMINATION NO REPAIR BY WELDING MADE IN CHINA HRB MAX 80 400#POLISHEI
	COMPANY.	2. THE CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL WITHOUT THE WRITTEN APPROVAL OF THE COMPANY.	WRITTEN,	JHT THE	ILL WITHO	XCEPT IN FL	ODUĆED E	T BE REPR	SHALL NO	RTIFICATE	2.71年 (2				262 BBACT	PO MN2683 LENGTH-20FT IC TEST PER ASTM - A262 DRACTICE
			e e			*		ION ABOVI	PECIFICAT	CONFORM TO THE SPECIFICATION ABOVE.	CONFOR		4 A269-10	3-10/ASTI	ASME SA21	AS PEK ASTM A213-11 ASME SA213-10/ASTM A269-10 ASTM A1016 NACE MR 0175
STEEN S	CHILL AO SULIN	LIVE HEREBY CERTIFY THAT THE MATERIAL DESCRIBED HEREIN BEEN MADE IN ACCORDANCE WITH THE RESULTS OF THE CONTRACT AND	CCORDAN	ADE IN /	N BEEN M	UBED HERE	IAL DESCR	HE MATER	FY THAT T	REBY CERTI	I.WE HE			-		REMARK:
-					1.					の人は		6	5500	275		TOTAL:
			1 (1)								:) [.		1.7			
		N. A.									7 k					
		1 - 1 (1 m 2 m 3 m 3 m 3 m 3 m 3 m 3 m 3 m 3 m 3	1													
		Was you					, , , , , , , , , , , , , , , , , , ,									i i
	4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		. V					1 5		1.00		· ·				
				;					2- t-		.7	1				
GOOD	,	201203-GL:039	1.57	GOÓD	GÓÓD	GOOD	77 5/78	57/57 77	.5	280/285 /	585/590	614	:5500	275	40-1#	0.500*0.049
CURRENT	HYDROSTATIC TEST.	Lot No.	GRAIN	iest	FLARING TEST	FLATTENING TEST	HRB	, <u>s</u>	1% (50m) NPa %	0.2% , MPa	M.	(Rg)	1-1	PIECES	PACKAGE,	SIZE(mm) OD(") ×WT(")
					•			四		SY	d .	THE CHANGE	w			
									18.070	8.029	1000	0.034 0.	1.099	0.390	0.016	vesocis(tropoci)
\vdash								-	18.140-	 				_	0.022	RESULTS (LADLE)
			o Litery					ŀ	20.000	12.000 2	0.030	0.045 0.	2.000 0	1. 000	max 0.035	
				·					18,000	8.000	9	-	\vdash	l.	min .	SPECIFICATION I
	В	٠ ,	2	3	Cb+T2	Ti	Çu	Mo N	Ω	N.	S	-	M	Si	0	ELEMENTS
						ION (WT%)	CHEMICAL COMPOSITION	CHEMICAL								
						*		TP 304L	17	GRADE:			BE.	MLESS TU	S STEEL SEA	COMMODITY: STAINLESS STEEL SEAMLESS TUBE
	٠						201205048024034	2012	TE NO.:	CERTIFICATE NO.				**		
					AIN END	CONDITION:COLD FINISHED, ANNEALED, PICKLED, PLAIN END	NEALED, F	HISHED, AN	N.COLD FIN	CONDITIO		i			2012/4/24	
							,									



Dart Aerospace Ltd. 1270 Aberrieen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO18224

Purchase Order Date 10/23/12 PO Print Date 10/23/12

Page Number 1 of 2

Order From : (7 MARMON/KEYSTONE CANADA LTD 290 CHEMIN DU TREMBLAY BOUCHERVILLE, QC J4B 5X9

CA

Contact Name

Vendor Phone Vendor Fax

800 361 8142 450 641 4357

Vendor Account Nbr

VC-MAR001

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr Terms Currency

FOB

10127-2607 Net 30

CAD

Destination-Collect

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CANADA

Line Nbr Reference Description/ Req Date/ Ship Method Reg Oty/ **Unit Price** Extended Revision ID Mfg ID Taxable Unit of Measure Price Vendor Part Number M6061T6T0.375W.058 6061-T6 RD Tube .375 10/26/12 312.00 TST ground \$1.9500 \$608.40 x.058W Yes f Special Inst: MATERIAL: 6061-T6 OR 6061-T62 **TUBING PER** WW-T-700/6 OR AMS 4080 OR AMS 4082 QQ-A-200/8 OR QQ-A-225/8 M6061T6T0.500W.125 6061-T6 RD Tube .500 x 10/26/12 - 36.00 TST ground \$4.3500 \$156.60 .125W Yes Special Inst: MATERIAL: 6061-T6 OR 6061-T62 **TUBING PER** WW-T-700/6 OR AMS 4080 OR AMS 4082 QQ-A-200/8 OR QQ-A-225/8 3 0 M304TR0.500W.035 304 RD Tube .500 x .035W 10/26/12 200.00 TST ground \$0.8400 Yes

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required - YES

Change Date: 10/23/12

Change Nbr:



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO18224

Purchase Order Date 10/23/12 PO Print Date 10/23/12

Page Number 2 of 2

Order From:

VC-MAR001

MARMON/KEYSTONE CANADA LTD. 290 CHEMIN DU TREMBLAY

BOUCHERVILLE, QC J4B 5X9

CA

Contact Name

Vendor Phone Vendor Fax

800 361 8142

Vendor Account Nbr

450 641 4357

Buyer

Requisition Nbr

Tax Resale Nbr

Terms Currency

FOB

10127-2607 Net 30

Chantal Lavoie

CAD

Destination-Collect

Special Inst:

MATERIAL: AISI 304/316 SS SEAMLESS **ROUND TUBING**

AS PER A213 OR ASME SA213 OR ASTM

A269

M304TR0.500W.049

304 RD Tube .500 x .049W

10/26/12 Yes

200.00 TST ground

\$1.2100

\$242.00

Special Inst:

MATERIAL: AISI 304/316 SS SEAMLESS

ROUND TUBING

AS PER A213 OR ASME SA213 OR ASTM

A269

PO Total:

\$1,175.00

MATERIAL CERTIFICATION REQ'D UPON DELIVERY

No substitution or deviation without

Certificate of Conformity or Material Certification required YES

Change Nbr:

Change Date: 10/23/12